

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

5C
Dec-16-03

03:59pm

JCWSCS 17 DEC 2003

From-Moser, Patterson & Sheridan L.L.P.

+713 623 4846

T-162 P.001/004 F-810

FILE COPY

**MOSER
PATTERSON &
SHERIDAN, LLP**

ATTORNEYS AT LAW

3040 Post Oak Blvd, Suite 1500

Houston, TX 77056-6582

TEL 713.623.4844

FAX 713.623.4846

WWW.MPSLLP.COM

FACSIMILE COVER SHEET

DATE: December 16, 2003

FILE NO: AMAT/2592.C6/DSM/LOW K/JW

TO: Office of Initial Patent Examination

FAX NO: (703) 746-9195

PHONE NO:

COMPANY: USPTO

FROM: B. Todd Patterson / Penny Moses

PAGE(S) with cover: 4

ORIGINAL TO FOLLOW? ☐ YES ☒ NO

TITLE: Method of Decreasing the K Value in SiOC Layer Deposited by Chemical Vapor Deposition

U.S. SERIAL NO.: 10/632,179

FILING DATE: July 31, 2003

INVENTOR: Gaillard, et al.

EXAMINER: Unknown

GROUP ART UNIT: 2812

CONFIRMATION NO.: 9827

CONFIDENTIALITY NOTE

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, L.L.P. which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Gaillard, et al.

Serial No.: 10/632,179

Filed: July 31, 2003.

Confirmation No.: 9827

For: Method of Decreasing the K Value in SiOC Layer Deposited by Chemical Vapor Deposition

www.pearsoned.com

Group Art Unit: 2812

Examiner: Unknown

**Commissioner for Patents
Office of Initial Patent Examination
Filing Receipt Corrections
P.O. Box 1450
Alexandria, VA 22313-1450**

Dear Sir,

CERTIFICATE OF FACSIMILE TRANSMISSION UNDER 37 CFR 1.8	
I hereby certify that this correspondence and the documents referred to as attached therein are being facsimile transmitted to the U.S. Patent and Trademark Office, Office of Initial Patent Examination, Fax No. (703) 746-8195, on the date below.	
Date <u>12-16-83</u>	Signature <u>Deane Press</u>

REQUEST FOR CORRECTION OF ERROR ON FILING RECEIPT

The Filing Receipt for the above-referenced application contains an error regarding the Domestic Priority Data.

Please insert the following Domestic Priority Data information:

- a CIP of 09/553,461 04/19/2000 PAT 6,593,247
a CIP of 09/162,915 09/29/1998 PAT 6,287,990
a CIP of 09/185,555 11/04/1998 PAT 6,303,523
a CIP of 09/247,381 02/10/1999 PAT 6,348,725.

Attached is a copy of the Filing Receipt with the above change noted thereon.
Please correct this error or notify the applicants of the reasons for denying the request.

Respectfully submitted,



B. Todd Patterson
Registration No. 37,906
MOSER, PATTERSON & SHERIDAN, L.L.P.
3040 Post Oak Blvd. Suite 1500
Houston, TX 77056
Telephone: (713) 623-4844
Facsimile: (713) 623-4846
Agent for Applicant(s)



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22312-1450
www.uspto.gov

APPL NO.	FILING OR 371 (e) DATE	ART UNIT	FL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/632,179	07/31/2003	2812	750	AMAT/2592.C6/DSM/LOW K/JW	7	20	3

CONFIRMATION NO. 9827

Patent Counsel
APPLIED MATERIALS, INC.
P.O. Box 450-A
Santa Clara, CA 95052

FILING RECEIPT
NOV 11 2003
0000000011158276

Date Mailed: 11/03/2003

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Frederic Gaillard, Voiron, FRANCE; ✓
Li-Qun Xia, Santa Clara, CA; ✓
Jian-Hoe Lim, Santa Clara, CA; ✓
Ellie Yieh, San Jose, CA; ✓
Wai-Fan Yau, Mountain View, CA; ✓
Shin-Puu Jeng, Tainan, TAIWAN; ✓
Kuo-wei Liu, Santa Clara, CA; ✓
Yung-Cheng Lu, Taipei, TAIWAN; ✓

* A CIP OF 09/553,461 04/19/2000 PAT 6,593,247
A CIP OF 09/162,915 09/29/1998 PAT 6,287,990
A CIP OF 09/185,555 11/04/1998 PAT 6,303,523
A CIP OF 09/247,381 02/10/1999 PAT 6,348,725*

Assignment For Published Patent Application

Applied Materials, Inc.;

Domestic Priority data as claimed by applicant

This application is a CON of 09/679,843 10/05/2000 PAT 6,627,532
which is a CIP of 09/465,233 12/16/1999 PAT 6,511,903
which is a CON of 09/021,788 02/11/1998 PAT 6,054,379

INSERT HERE *

Foreign Applications

If Required, Foreign Filing License Granted: 10/28/2003

Projected Publication Date: 02/12/2004

Non-Publication Request: No